## References:


1. Koneni V. Sashidhara, Manoj Kumar, Ram K. Modukuri, Ravi Sonkar, Gitika Bhatia, A.K. Khanna, Shivika Rai, Rakesh Shukla( 2011), Synthesis and anti-inflammatory activity of novel biscoumarin–chalcone hybrids. Bioorganic & Medicinal Chemistry Letters, 21, 15,4480.

2. Affan, M. A., Siong W. F., Jusoh, I., Hanapi, S., Edward R. T. Tiekink. (2009).Synthesis, characterization and biological studies of organotin(IV) complexes with hydrazone ligand. *Inorganica Chimica Acta.* **362 :** 5031-5037.

3. Ávila, H. P., Albino Smania, E. D. F., Monache, F. D., Smânia Júnior, A. (2008).Structure-activity relationship of antibacterial chalcones. *Bioorganic Medicinal Chemistry*. **16 :** 9790–9794.

4. Mohamed A. A., So-Eun Park, Gamal El-Din A.A. Abuo-Rahma, Mohamed A. Sayed, Youngjoo Kwon, (2013), Novel N-4-piperazinyl-ciprofloxacin-chalcone hybrids: Synthesis, physicochemical properties, anticancer and topoisomerase I and II inhibitory activity European Journal of Medicinal Chemistry, 69, 427.

5. Babasaheb P. Bandgar, Laxman K. Adsul, Hemant V. Chavan, Sadanand N. Shringare, Balaji L. Korbad, Shivkumar S. Jalde, Shrikant V. Lonikar, Shivraj H. Nile, Amol L. Shirfule. (2012) Synthesis, biological evaluation, and molecular docking of N-{3-[3-(9-methyl-9H-carbazol-3-yl)-acryloyl]-phenyl}-benzamide/amide derivatives as xanthine oxidase and tyrosinase inhibitors, Bioorganic & Medicinal Chemistry, 20,18, , 5649.

6. Cheenpracha, S., Karalai, C., Ponglimanont, C., Subhadhirasakulb, S., and Tewtrakul, S. (2006). Anti-HIV-1 protease activity of compounds from

*Boesenbergia pandurata*. *Bioorganic & Medicinal Chemistry.* **14** : 1710–1714.

7. Chiaradia, L. D., Mascarello, A., Purificacao, M., Vernal, J., Cordeiro, M. N. S, Zenteno, M. E., Villarino, A., Nunes, R. J, Yunes, R. A., Terenzi, H.(2008). Synthetic chalcones as efficient inhibitors of Mycobacterium tuberculosis protein tyrosine phosphatase PtpA,. *Bioorganic & Medicinal Chemistry Letters,*. **18 :** 6227-6230.

8. Climent, M. J., Corma, A., Iborra, S., Velty, A. (2004). Activated Hydrotalcites as Catalysts for the Synthesis of Chalcones of Pharmaceutical Interest. *J Catal*.**221 :** 474-482.

9. Mohamed F. Zayed, Memy H. Hassan, (2014), Synthesis and biological evaluation studies of novel quinazolinone derivatives as antibacterial and anti-inflammatory agents, Saudi Pharmaceutical Journal, 22, 2, 157-162

10. Edrarir, S., Cotelle, N., Bakkaour, Y., Rolando, C. (2003). An Efficient Synthesis of Chalcones Based on the Suzuki Reaction. *Tet Letts*. **44:** 5359-5363.

11. Fukui, K., Matsumoto, T., Nakamura, S., and Nakayama, M. (1968). Synthetic Studies of the Flavone Derivatives. VII. The Synthesis of Jaceidin. *Bulletin of the Chemical Society of Japan.* **41** : 1413-1417.

12. Furiga, A., Lonvaud-Funel, A., Badet, C. (2009). In vitro study of antioxidant capacity and antibacterial activity on oral anaerobes of a grape seed extract. *Food Chemistry*. **113 :** 1037-1040.

13. Ganguly, A. K., Mahata, P. K., Biswas, D., Pramanik, B. N., Chan T. M. (2005). Synthesis and Properties of 3-Acyl-γ-pyrones, A Novel Class of Flavones and Chromones. *Tet Letts.* **46:** 4119-4121.

14. Nikola A. Bowden (2014), Nucleotide excision repair: Why is it not used to predict response to platinum-based chemotherapy, Cancer Letters, 346, 2, 163-171.

*15.* Stratford, CT. Hartl, M., and Humpf, H. U. (2000). Toxicity assessment of fumonisins using the brine shrimp (*Artemia salina*) bioassay. *Food and Chemical Toxicology*. **38 :**1097-1102.

16. Havsteen, B.H. (2002). The biochemistry and medical significance of the flavonoids. *Pharmacology & Therapeutics.* **96** : 67-202.

17. Philipos P. (2014), Risk perception, HIV/AIDS related knowledge, attitude and practice of the university community: The case of Ethiopian Civil Service College, HIV & AIDS Review, 13, 1, 26-32

18. Hwang, J. K., Chunga, J. Y., Baekb, N. I., Park, J. H. (2004). Isopanduratin A from *Kaempferia pandurata* as an active antibacterial agent against cariogenic *Streptococcus mutans. International Journal of Antimicrobial Agents*. **23** :377– 381.

19. Jamil, S., Mohd Sirat, H., Jantan, I., Aimi, N., Kitajima, M. (2008). A new prenylated dihydrochalcone from the leaves of *Artocarpus lowii*. *Journal of Natural Medicine.* **62** : 321–324.

20. Jantan, I., Rafi, I. A. A., Jalil, J. (2005). Platelet-activating factor (PAF) receptorbinding antagonist activity of Malaysian medicinal plants. *Phytomedicine.* **121**: 88–92.

21. Mishra, N., Arora, P., Kumar, B., Mishra, L C., Bhattacharya, A., Awasthi, S. K.,Bhasin, V. K. (2008). Synthesis of novel substituted 1,3-diaryl propenone derivatives and their antimalarial activity in vitro. *European Journal of Med Chem*. **43 :** 1530-1535.

22. Moorthy, N. S. H. N., Singh, R. J., Singh H. P and Gupta, S. D. (2006). Synthesis, Biological Evaluation and *In Silico* Metabolic and Toxicity Prediction of Some Flavanone Derivatives. *Chem. Pharm. Bull.* **54** (10) 1384-1390

23. Mphahlele, M. J., and Fernandes, M. A. (2002). Isolation and Crystal Structure of 3-Aryl-1-(2-hydroxyphenyl)-3-hydroxy-1- propanones Derived From Claisen–Schmidt Condensation of 2- Hydroxyacetophenone with Benzaldehyde Derivatives. *S. Afr. J. Chem*., **55** : 97-110.

24. Nader G. K., Taraneh M.,(2013), Aldol condensations of a variety of different aldehydes and ketones under ultrasonic irradiation using poly(N-vinylimidazole) as a new heterogeneous base catalyst under solvent-free conditions in a liquid-solid system.Chinese Journal of Catalysis, 34, 12, 2167-2173

25. Ben J.M Jansen, Cindy C.J Hendrikx, Nikolai Masalov, Gerrit A Stork, Tommi M (2000), Enantioselective Synthesis of Functionalised Decalones by Robinson Annulation of Substituted Cyclohexanones, Tetrahedron, 56, 14, 2075-2094

26. Daisuke O., Keita H., Masato S., (2013) Palladium-catalyzed and copper-mediated cross-coupling reaction of aryl- or alkenylboronic acids with acid chlorides under neutral conditions: efficient synthetic methods for diaryl ketones and chalcones at room temperature, Tetrahedron, 69, 25, 2565-2571

27. Petrov, O., Ivanova, Y., Gerova, M. (2008). $SOCl_2$/EtOH: Catalytic system for synthesis of chalcones,. *Catalysis Communication*. **9:** 315-316

28. Surya G.K., Prakash, F. P. (2012), Efficient synthesis of trifluoromethylated dihydrochalcones, aryl vinyl ketones and indanones by superelectrophilic activation of 4,4,4-trifluoro/3-(trifluoromethyl)crotonic acids, Journal of Fluorine Chemistry, 143, 292-302

29. Narender, T., Papi Reddy, K. (2007). A simple and highly efficient method for he synthesis of chalcones by using borontrifluoride-etherate. *Tet Letts*. **48 :**3177- 3180

30. Rice Evans, C. A., Miller, N. J., Paganga, G. (1997). Antioxidant Properties of Phenolic Compounds. *Trends in Plants. Science Reviews*. **2** : 152-159.

31. Shyam J. D., Paul R. L., Stephen R. S.,(2012), Microwave synthesis of α-cyano chalcones, Tetrahedron Letters, 53, 1772-1775

32. Salie, F., Eagles, P. F. K., Leng, H. M. J. (1996). Preliminary antimicrobial Screening offour South African Asteraceae species *Journal of Ethnopharmacology*. **52 :** 27-33.

33. Pandurangan N., Chinchu B., Banerji A.,(2011), Synthesis and antioxygenic activities of seabuckthorn flavone-3-ols and analogs, Bioorganic & Medicinal Chemistry Letters, 21, 5328-5330.

34. Namrata A., Priyanka S., Anindra S., Sameer T., (2012) Synthesis and evaluation of small libraries of triazolylmethoxy chalcones, flavanones and 2-aminopyrimidines as inhibitors of mycobacterial. Bioorganic & Medicinal Chemistry, 20, Issue 17, 5150-5163